

Technical Information

CS 20 Cleaner

Heavy Duty High Voltage Cable Cleaner / Degreaser

Product Description

 $ASV^{\otimes}CS$ 20 is a non-flammable and non-conductive safe cleaning agent that quickly removes soils, oxides, silicones and other contaminants from the cores of high voltage cables.

It evaporates rapidly without leaving any residue and is nonstaining and non-corrosive. It contains no CFC's or ozone depleting substances

Applications

For cleaning cables and removing oil, grease, dirt, dust, oxides and other contaminating soils from high voltage cables during splicing and termination operations.

Benefits

- Fast penetrating and rapidly evaporating
- Cleans equipment fast and leaves no residue
- Quickly dislodges oil, grease, silicones, fingerprints, oxides and other light contaminants
- Non flammable & non conductive
- Non staining & non corrosive
- High dielectric strength
- Safe on most plastics, metals, rubbers, insulation materials
- Contains safe, non flammable CO₂ propellant
- 360° valve allows product to be sprayed in any position even inverted

Directions for Use

Spray into a lint free wipe or cloth and clean the cable. Allow the solvent to evaporate completely and wipe the cable dry before reinsulating. Test for compatibility with plastic by checking on a small area prior to use. Do not use on consumer electronic appliances. **Technical Information**

CS 20

Cleaner

Technical Properties

Parameter	Unit	Value	Standard
Туре		Heavy duty cleaner & degreaser	
Appearance		Liquid	
Color		Clear	
Odor		Mild	
Specific Gravity @ 20°C	g/cm ³	1.24 -1.64	
Flash Point	°C	None	ASTM D 56
Boiling Point	°C	87.2	
Solubility		Nil in water	
Vapor Density		4.55	
Percent Volatile	%	100	
Evaporation Rate		Very fast	
Dielectric Strength	Volts	36000	ASTM D 877
Kauri Butanol Value (KB)		132	ASTM D 1130
Propellant		CO ₂	

* of active ingredients

Available Packaging

- 575 g / 500 ml aerosol spray

General

Use in well ventilated areas. Avoid continuous breathing of vapor and spray mist. In closed areas or areas with poor ventilation, use respiratory protection. For complete details on safety, short and long term exposure, refer to this product's safety data sheet (SDS).

Disposal

All used and unused product should be disposed of in accordance with state regulations.

Shelf Life

12 months from date of manufacture in sealed condition

Handling

Read instructions on the container label of the product before use. The product safety data sheet (SDS) contains the relevant information regarding personal protective equipment, safe use, physical and health hazards. Safety data sheet is available from ASV or your local ASV distributor.

Limited Warranty

The information and data contained in this sheet is accurate to the best of our knowledge or is obtained from sources, tests or experiences believed by us to be reliable and accurate. User is responsible for determining whether recommended ASV[®] product is fit for a particular purpose. All products should be tested for suitability on a particular application prior to actual use. We make no representations of any kind. Data offered without warranty.

ASV MULTICHEMIE PRIVATE LIMITED Registered Office: W 46, TTC Industrial Area, MIDC Rabale, Navi Mumbai-400 701, INDIA Tel: +91 (022) 2764 2514 I E-mail: info@asymultichemie.com MOLYSULF®& ASV® Specialty Lubricants & MRO Technical Chemicals. ® Registered trademark of ASV Multichemie Private Limited, INDIA. THIS PRODUCT IS DEVELOPED AND MANUFACTURED BY US FOR INDUSTRIAL USE ONLY. Distributed by: