

## CS 81 Spray

### Fast evaporating, residue free, cleaner / degreaser

#### Product description

- Blend of fast acting, fast evaporating solvents

#### Applications

For heavy duty cleaning / degreasing applications of mechanical equipment as brakes, chains, gears, bearings, clutches, generators, hand tools, molds, dies, slides, pumps, forklifts, valves, nuts & bolts, pipes, power tools.

Safe for use on all metal surfaces, glass, most plastics and ceramics.

#### Features & benefits

- Removes grease, oil, dirt, dust, sludge
- Noncorrosive, nonconductive & non staining
- Removes tar, adhesives and other tough contaminants
- Leaves no residue
- Safe on metals, most plastics, glass and ceramics
- Non chlorinated formulation
- Fast penetrating and superior wetting action
- 360° valve allows spraying in any position

#### How to use - Aerosol

Never use on energized equipment. Spray using pin-point extension tube onto soiled surface and continue spraying liberally until only solvent runs out clearly and contaminants have been washed off. To remove heavy carbon or oxides, use a brush. Spray starting at the top of the surface and slowly working towards the bottom. Allow solvents to dry off the components before reactivating. To enhance drying time, apply forced air or wipe dry with an absorbent cloth after applying. Use only when completely dry. Test on plastics prior to use for compatibility.

#### How to use - Bulk

Never use on energized equipment. Do not dilute with any other cleaning agent, water or mix with any solvent. Apply onto soiled surface and continue dipping / applying / spraying liberally until only solvent runs out clearly and contaminants have been washed off. To remove heavy carbon or oxides, use a brush. Allow solvents to dry off the components before reactivating. To enhance drying time, apply forced air or wipe dry with an absorbent cloth after applying. Use only when completely dry. Test on plastics prior to use for compatibility.

#### Caution

Contains flammable solvents. Do not spray near naked flame, hot surfaces or energized equipment. Use with adequate ventilation.

Test	Unit	Result
Appearance		Hydrocarbon gas propelled liquid
Description		Industrial Degreaser
Colour		Colourless
Odor		Mild
Film type		Liquid
Specific gravity concentrate	g/cm <sup>3</sup>	0.62-0.64
Percent volatile	%	100
Evaporation rate		Very fast
KB value		N/A
Dielectric strength		N/A
Plastic safe		Yes
Service temperature range	°C	N/A
Flash point	°C	-25°C (closed cup) aerosol
Flammability class		Extremely flammable
Film thickness	Mils	N/A
Dry time, full dry	h	N/A
Dry time, tack free	h	N/A
Recoat	h	N/A
Method of removal		N/A
Four ball weld load	N	N/A
Four ball wear	mm	N/A
NSF category code		N/A
NSF number		N/A
Solubility in water		No
Coverage	m <sup>2</sup> /can	N/A
Propellant		Hydrocarbon
Shelf life	months	36 from date of manufacture

N/A: not applicable

## General

Use in well-ventilated areas. Avoid continuous breathing of vapor and spray mist. For complete details on safety, short and long term exposure, refer to this product's safety data sheet (SDS).

## Handling

Read instructions on the container label of the product before use. The product safety data sheet (SDS) contains the relevant information regarding personal protective equipment, safe use, physical and health hazards.

Manufactured by:  
ASV Multichemie Private Limited  
E 14, Additional MIDC, Patalganga  
Panvel-410 220 INDIA



**WWW.ASVMULTICHEMIE.COM**

## Disposal

All used and unused product should be disposed of in accordance with state regulations.

## Limited warranty

Product manufactured is for industrial use only. The information and data contained in this sheet is accurate to the best of our knowledge or is obtained from sources, tests or experiences believed by us to be reliable and accurate. User is responsible for determining whether recommended ASV product is fit for a particular purpose. All products should be tested for suitability on a particular application prior to actual use. We make no representations of any kind. Data offered without warranty.

ASV® MOLYSULF® PENETROIL® SHINY GALVA® VALV-KOTE® BRIGHT ZINK®  
SPEZET® MOLYCHEM® TRIBOSULF® are Registered Trademarks of ASV  
MULTICHEMIE PRIVATE LIMITED, INDIA